L Number	Hits	Search Text	DB	Time stamp
-	1653	709/203.ccls. and (@pd<19990908 or	USPAT;	2003/09/30 10:03
		@ad<19990908)	US-PGPUB	
-	112	(709/203.ccls. and (@pd<19990908 or	USPAT;	2003/10/01 13:32
		@ad<19990908)) and pars\$3 and word	US-PGPUB	
-	1	(709/203.ccls. and (@pd<19990908 or	USPAT;	2003/09/30 10:02
		@ad<19990908)) and HLD	US-PGPUB	
-	15560	709/\$.ccls. and (@pd<19990908 or	USPAT;	2003/09/30 14:48
		@ad<19990908)	US-PGPUB	
-	25	(709/\$.ccls. and (@pd<19990908 or	USPAT;	2003/09/30 10:28
		@ad<19990908)) and HLD	US-PGPUB	
-	6	(709/\$.ccls. and (@pd<19990908 or	USPAT;	2003/09/30 10:27
		@ad<19990908)) and pars\$3 adj /word	US-PGPUB	
-	435		USPAT;	2003/09/30 10:28
		@ad<19990908)) and hyperlink	US-PGPUB	
-	6	((709/\$.ccls. and (@pd<19990908 or	USPAT;	2003/09/30 10:36
		@ad<19990908)) and hyperlink) and (spell	US-PGPUB	=====================================
		adj check\$3)	00 10102	
_	74		USPAT;	2003/10/01 13:32
	/-	@ad<19990908)) and (spell adj check\$3)	US-PGPUB	2003/10/01 13:32
_	,		!	2002/00/20 14:04
	1	5907680.pn.	USPAT;	2003/09/30 14:04
		E002010 mm	US-PGPUB	2002/00/20 10 15
-	1	5892919.pn.	USPAT;	2003/09/30 10:42
	_	700/0 2212 224 /024 1000000	US-PGPUB	0000 400 400 5 5 5 5
-	0	709/\$.ccls. and (@pd<19990908 or	USPAT;	2003/09/30 14:49
	_	@ad<19990908) and (pars\$3 adj hyperlink)	US-PGPUB	
-	26	709/\$.ccls. and (@pd<19990908 or	USPAT;	2003/09/30 14:50
		@ad<19990908) and (pars\$3 adj web)	US-PGPUB	
-	62	709/\$.ccls. and (@pd<19990908 or	USPAT;	2003/09/30 14:51
		@ad<19990908) and (microsoft adj word and	US-PGPUB	
		hypertext)		
-	3	709/\$.ccls. and (@pd<19990908 or	USPAT;	2003/09/30 14:53
	ļ	@ad<19990908) and (microsoft adj word and	US-PGPUB	
		hypertext and spell)		
-	1	709/\$.ccls. and (@pd<19990908 or	USPAT;	2003/09/30 14:54
		@ad<19990908) and (microsoft adj word) and	US-PGPUB	
		hypertext and (spell adj check)	İ	
-	1	709/\$.ccls. and (@pd<19990908 or	USPAT;	2003/09/30 16:17
		@ad<19990908) and (microsoft adj word) and	US-PGPUB	
		hypertext and (pars)		
-	435	709/\$.ccls. and (@pd<19990908 or	USPAT:	2003/09/30 16:17
		@ad<19990908) and hyperlink	US-PGPUB	,,
_	64	1	USPAT;	2003/09/30 16:19
		@ad<19990908) and hyperlink and editor	US-PGPUB	
-	206		USPAT;	2003/09/30 17:14
		@ad<19990908) and hyperlink and word	US-PGPUB	2303,03,30 17.14
_	128	709/\$.ccls. and (@pd<19990908 or	USPAT;	2003/10/01 09:16
	123	@ad<19990908) and hyperlink and word and	US-PGPUB	2003, 10, 01 03.16
		microsoft	JULEGEOR	
_	7	709/\$.ccls. and (@pd<19990908 or	IICDAT.	2003/10/01 10:03
	·		USPAT;	2003/10/01 10:03
_	25	@ad<19990908) and hyperlink and spell	US-PGPUB	2002/10/21 12 22
_	25	709/\$.ccls. and (@pd<19990908 or	USPAT;	2003/10/01 13:23
	_	@ad<19990908) and url and spell	US-PGPUB	0000/50/55
-	5	709/\$.ccls. and (@pd<19990908 or	USPAT;	2003/10/01 10:07
	_	@ad<19990908) and url and spell and resolv\$4	US-PGPUB	1 4
-	7	, (against	USPAT;	2003/10/01 10:25
		@ad<19990908) and domain and spell and	US-PGPUB	
		resolv\$4		
	588	709/\$.ccls. and (@pd<19990908 or	USPAT;	2003/10/01 10:32
-	200			1
-	300	@ad<19990908) and pars\$3 and domain	US-PGPUB	
-	1239	@ad<19990908) and pars\$3 and domain 709/\$.ccls. and (@pd<19990908 or	US-PGPUB USPAT;	2003/10/02 09:31
-		709/\$.ccls. and (@pd<19990908 or @ad<19990908) and pars\$3 and text	I .	2003/10/02 09:31
- -		709/\$.ccls. and (@pd<19990908 or @ad<19990908) and pars\$3 and text	USPAT;	
-	1239	709/\$.ccls. and (@pd<19990908 or @ad<19990908) and pars\$3 and text 709/\$.ccls. and (@pd<19990908 or	USPAT; US-PGPUB	2003/10/02 09:31 2003/10/01 10:33
-	1239	709/\$.ccls. and (@pd<19990908 or @ad<19990908) and pars\$3 and text 709/\$.ccls. and (@pd<19990908 or @ad<19990908) and pars\$3 adj domain	USPAT; US-PGPUB USPAT; US-PGPUB	2003/10/01 10:33
- - -	1239 3	709/\$.ccls. and (@pd<19990908 or @ad<19990908) and pars\$3 and text 709/\$.ccls. and (@pd<19990908 or @ad<19990908) and pars\$3 adj domain 709/\$.ccls. and (@pd<19990908 or	USPAT; US-PGPUB USPAT; US-PGPUB USPAT;	
-	1239 3	709/\$.ccls. and (@pd<19990908 or @ad<19990908) and pars\$3 and text 709/\$.ccls. and (@pd<19990908 or @ad<19990908) and pars\$3 adj domain	USPAT; US-PGPUB USPAT; US-PGPUB	2003/10/01 10:33

176
(extract adj hyperlink) or (extract adj URL) or (extract adj ink) or (extract adj address) and edit address) and edit or (extract adj address) and edit (Ink) or (extract adj address) and (epd<1990080 or (ead-19900080) and www same com with autmatics4 with hyperslink (Ink) or (ead-1990008) and www same com with autmatics4 with hypers) autmatics4 with hypers) (Ink) or (ead-1990008) and www same com with autmatics4 with hypers) (Ink) or (ead-1990008) and www same com and parse (Ink) or (ead-1990008) and www same com and parse (Ink) or (ead-1990008) and www same com and parse (Ink) or (ead-1990008) and www same com and text same (editor (Ink) or (ead-1990008) and parse adj word adj url (Ink) or (ead-1990008) and parse adj word and url (Ink) or (ead-1990008) and parse adj word and url (Ink) or (ead-1990008) and parse adj word and url (Ink) or (ead-1990008) and parse adj word and url (Ink) or (ead-1990008) and (epd-1990008) or (ead-1990008) and (epd-1990008) or (ead-1990008) and (epd-1990008) or (ead-1990008) and (epd-1990008) (Ink) or (ead-1990008) (Ink) or (ead-1990008) (Ink) or (ead-1990008) (Ink) or (ead-1990008) (Ink) or (epd-1990008) or (Ink) or (epd-1990008) or (ead-1990008) (Ink) or (epd-1990008) or (epd-1990008) (Ink) or (epd-19900
or (extract adj link) or (extract adj address) and edit 709/\$.ccls. and (@pd<1999008 or @ad<19990908) and www same .com with us-pGPUB autmatic\$4 with hyper\$link
address and edit
Gead 19990908) and www same .com with autmatic\$4 with hyper\$link
autmatic\$4 with hyper\$link 709/\$.ccls. and (@pd<19990908 or @ad<19990908 or WSPAT; 2003/10/01 13: WSPAT; 2003/10/01
- 0 709/S.ccls. and (@pd<19990908 or @ad<19990908) and www same com with autmatic\$4 with hyper\$1ink US-PGPUB autmatic\$4 with hyper\$1ink US-PGPUB autmatic\$4 with hyper\$1 US-PGPUB autmatic\$1 U
□ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □
autmatic\$4 with hyper\$link 709/\$.ccls. and (@pd<19990908 or @ad<19990908) and www same com with autmatic\$4 with hyper\$ 709/\$.ccls. and (@pd<19990908 or @ad<19990908) and www same com and parse 1 2709/\$.ccls. and (@pd<19990908 or @ad<19990908) and www same com and text same editor 1 0 709/\$.ccls. and (@pd<19990908 or @ad<19990908) and www same com and text same editor 2 0 709/\$.ccls. and (@pd<1990908 or @ad<19990908) and parse adj word adj url US-PGPUB USPAT; @ad<19990908) and parse adj word and url US-PGPUB USPAT; @ad<19990908) and parse adj word and url US-PGPUB USPAT; @ad<19990908) and parse adj word and url US-PGPUB USPAT; @ad<19990908) and parse adj word and url US-PGPUB USPAT; @ad<19990908) and parses adj word and url US-PGPUB USPAT; @ad<19990908) and parses adj word and url US-PGPUB USPAT; @ad<19990908) and (pars\$3 or extract\$3 or find\$3) and word 287 (709/203.ccls. and (@pd<19990908 or @ad<19990908) and (pars\$3 or extract\$3 or find\$3) and word 3 225 (709/203.ccls. and (@pd<19990908 or @ad<19990908) and (pars\$3 or extract\$3 or find\$3) and word and text und hyper\$4 3 2003/10/01 13: US-PGPUB USPAT; Wad<19990908) and microsoft uspat; USPAT; US-PGPUB USPAT; Wad<19990908) and microsoft uspat; USPAT; US-PGPUB USPAT; Wad<19990908) and microsoft uspat; USPAT; US-PGPUB USPAT; US-PGPUB uspat; USPAT; US-PGPUB
autmatic\$4 with hyper\$ 709/\$.ccls. and (@pd<19990908 or @ad<19990908) and www same com and parse 2 709/\$.ccls. and (@pd<19990908 or USPAT; @ad<19990908 or USPAT; US-PGPUB editor - 0 709/\$.ccls. and (@pd<19990908 or USPAT; US-PGPUB editor - 0 709/\$.ccls. and (@pd<19990908 or USPAT; US-PGPUB editor - 0 709/\$.ccls. and (@pd<19990908 or USPAT; US-PGPUB USPAT; Q003/10/01 13: Qad<19990908) and parse adj word and url US-PGPUB USPAT; Q003/10/01 13: Qad<19990908) and parse adj word and url US-PGPUB USPAT; Q003/10/01 13: Qad<19990908) and parses adj word and url US-PGPUB USPAT; Q003/10/01 13: Qad<19990908) and parses adj word and url US-PGPUB USPAT; Q003/10/01 13: Qad<19990908) and (pars\$3 or extract\$3 or find\$3) and word - 287 (709/203.ccls. and (@pd<19990908 or Qad<19990908 or Qad<19990908) or Qad<19990908
8 709/\$.ccls. and (@pd<19990908 or @ad<19990908) and www same com and parse USPAT; US-PGPUB USP
Gad<19990908) and www same com and parse 709/\$.ccls. and (@pd<19990908 or editor US-PGPUB U
2 709/\$.ccls. and (@pd<1999008 or @ad<19990908) and www same com and text same editor 0 709/\$.ccls. and (@pd<19990908 or @ad<19990908 or @ad<19990908) and parse adj word adj url US-PGPUB USPAT; WS-PGPUB US
editor 709/\$.ccls. and (@pd<19990908 or
- 0 709/\$.ccls. and (@pd<19990908 or
Gad<19990908) and parse adj word adj url
- 0 709/\$.ccls. and (@pd<19990908 or @ad<19990908) and parse adj word and url US-PGPUB (SPAT; @ad<19990908) and parse adj word and url US-PGPUB (SPAT; @ad<19990908) and parse\$3 adj word and url US-PGPUB (USPAT; Q003/10/01 13: @ad<19990908) and (pars\$3 or extract\$3 or find\$3) and word (pd<19990908 or @ad<19990908) and (pars\$3 or extract\$3 or (pd<21990908) and (pd<2
Sad<19990908) and parse adj word and url
5 709/\$.ccls. and (@pd<19990908 or @ad<19990908) and pars\$3 adj word and url US-PGPUB (709/203.ccls. and (@pd<19990908 or @ad<19990908)) and (pars\$3 or extract\$3 or find\$3) and word (709/203.ccls. and (@pd<19990908 or @ad<19990908)) and (pars\$3 or extract\$3 or find\$3) and word (709/203.ccls. and (@pd<19990908 or @ad<19990908)) and (pars\$3 or extract\$3 or find\$3) and word (709/203.ccls. and (@pd<19990908 or @ad<19990908)) and (pars\$3 or extract\$3 or find\$3) and word and text (709/\$.ccls. and (@pd<19990908 or @ad<19990908)) and (pars\$3 or extract\$3 or find\$3) and word and text and hyper\$4 - 27 (709/\$.ccls. and (@pd<19990908 or @ad<19990908)) and (pars\$3 or extract\$3 or find\$3) and word and text and hyper\$4 - 3548 (709/\$.ccls. and (@pd<19990908 or @ad<19990908)) and microsoft USPAT; US-PGPUB - 3548 (709/\$.ccls. and (@pd<19990908 or USPAT; US-PGPUB - 364(19990908)) and microsoft USPAT; 2003/10/01 15: @ad<1990908)) and microsoft and word and USPAT; 2003/10/01 15: @ad<1990908)) and microsoft and word and USPAT; 2003/10/01 15: @ad<1990908)) and microsoft and word and USPAT; 2003/10/01 15: @ad<1990908)) and microsoft and word and USPAT; 2003/10/01 15: @ad<1990908)) and microsoft and word and USPAT; 2003/10/01 15: @ad<1990908)) and microsoft and word and USPAT; 2003/10/01 15: @ad<1990908)) and microsoft and word and USPAT; 2003/10/01 15: @ad<1990908)) and microsoft and word and USPAT; 2003/10/01 15: @ad<1990908)) and microsoft and word and USPAT; 2003/10/01 15: @ad<1990908)) and microsoft and word and USPAT; 2003/10/01 15: @ad<199090908)) and microsoft and word and USPAT; 2003/10/01 15: @ad<199090908)) and microsoft and word and USPAT; 2003/10/01 15: @ad<199090908)) and microsoft and word and USPAT; 2003/10/01 15: @ad<199090908)) and microsoft and word and USPAT; 2003/10/01 15: @ad<199090908))
- 287 (709/203.ccls. and (@pd<19990908 or
@ad<19990908)) and (pars\$3 or extract\$3 or find\$3) and word - 287 (709/203.ccls. and (@pd<19990908 or @ad<19990908)) and (pars\$3 or extract\$3 or find\$3) and word - 225 (709/203.ccls. and (@pd<19990908 or @ad<19990908)) and (pars\$3 or extract\$3 or find\$3) and word and text - 527 (709/\$.ccls. and (@pd<19990908 or @ad<19990908)) and (pars\$3 or extract\$3 or find\$3) and word and text and hyper\$4 - 27 (709/\$.ccls. and (@pd<19990908 or @ad<19990908)) and (pars\$3 or extract\$3 or find\$3) and word and text and hyper\$4 - 27 (709/\$.ccls. and (@pd<19990908 or @ad<19990908)) and (pars\$3 or extract\$3 or find\$3) and word and text and hyper\$4 - 3548 (709/\$.ccls. and (@pd<19990908 or USPAT; US-PGPUB - 3548 (709/\$.ccls. and (@pd<19990908 or USPAT; US-PGPUB - 919 (709/\$.ccls. and (@pd<19990908 or USPAT; US-PGPUB - 919 (709/\$.ccls. and (@pd<19990908 or USPAT; US-PGPUB - 919 (709/\$.ccls. and (@pd<19990908 or USPAT; US-PGPUB
find\$3) and word (709/203.ccls. and (@pd<19990908 or @ad<19990908)) and (pars\$3 or extract\$3 or find\$3) and word 225 (709/203.ccls. and (@pd<19990908 or @ad<19990908)) and (pars\$3 or extract\$3 or find\$3) and word and text 527 (709/\$.ccls. and (@pd<19990908 or @ad<19990908)) and (pars\$3 or extract\$3 or find\$3) and word and text 27 (709/\$.ccls. and (@pd<19990908 or @ad<19990908)) and (pars\$3 or extract\$3 or find\$3) and word and text and hyper\$4 287 (709/\$.ccls. and (@pd<19990908 or @ad<19990908)) and (pars\$3 or extract\$3 or find\$3) and word and text and hyper\$4 298 (709/\$.ccls. and (@pd<19990908 or @ad<19990908)) and (pars\$3 or extract\$3 or find\$3) and word and text and hyper\$4 2003/10/01 15: @ad<19990908)) and microsoft nd word and US-PGPUB
- 287 (709/203.ccls. and (@pd<19990908 or @ad<19990908)) and (pars\$3 or extract\$3 or USPAT; US-PGPUB find\$3) and word - 225 (709/203.ccls. and (@pd<19990908 or
find\$3) and word (709/203.ccls. and (@pd<19990908 or @ad<19990908)) and (pars\$3 or extract\$3 or find\$3) and word and text 527 (709/\$.ccls. and (@pd<19990908 or @ad<19990908)) and (pars\$3 or extract\$3 or find\$3) and word and text and hyper\$4 (709/\$.ccls. and (@pd<19990908 or @ad<19990908)) and (pars\$3 or extract\$3 or find\$3) and word and text and hyper\$4 (709/\$.ccls. and (@pd<19990908 or @ad<19990908)) and (pars\$3 or extract\$3 or find\$3) and word and text and hyper\$4 and delimiters 3548 (709/\$.ccls. and (@pd<19990908 or @ad<19990908)) and microsoft (709/\$.ccls. and (@pd<19990908 or @ad<19990908)) and microsoft (709/\$.ccls. and (@pd<19990908 or @ad<19990908)) and microsoft and word and US-PGPUB
- 225 (709/203.ccls. and (@pd<19990908 or @ad<19990908)) and (pars\$3 or extract\$3 or find\$3) and word and text - 527 (709/\$.ccls. and (@pd<19990908 or @ad<19990908)) and (pars\$3 or extract\$3 or find\$3) and word and text and hyper\$4 - 27 (709/\$.ccls. and (@pd<19990908 or @ad<19990908)) and (pars\$3 or extract\$3 or find\$3) and word and text and hyper\$4 - 27 (709/\$.ccls. and (@pd<19990908 or @ad<19990908)) and (pars\$3 or extract\$3 or find\$3) and word and text and hyper\$4 and delimiters - 3548 (709/\$.ccls. and (@pd<19990908 or @ad<19990908)) and microsoft 919 (709/\$.ccls. and (@pd<19990908 or @ad<19990908)) and microsoft and word and US-PGPUB
@ad<19990908)) and (pars\$3 or extract\$3 or find\$3) and word and text 527 (709/\$.ccls. and (@pd<19990908 or @ad<19990908)) and (pars\$3 or extract\$3 or find\$3) and word and text and hyper\$4 70 (709/\$.ccls. and (@pd<19990908 or @ad<19990908)) and (pars\$3 or extract\$3 or find\$3) and word and text and hyper\$4 919 (709/\$.ccls. and (@pd<19990908 or @ad<19990908)) and microsoft 919 (709/\$.ccls. and (@pd<19990908 or @ad<19990908)) and microsoft and word and US-PGPUB 919 (709/\$.ccls. and (@pd<19990908 or @ad<19990908)) and microsoft and word and US-PGPUB
find\$3) and word and text (709/\$.ccls. and (@pd<19990908 or @ad<19990908)) and (pars\$3 or extract\$3 or find\$3) and word and text and hyper\$4 27 (709/\$.ccls. and (@pd<19990908 or @ad<19990908)) and (pars\$3 or extract\$3 or find\$3) and word and text and hyper\$4 delimiters 3548 (709/\$.ccls. and (@pd<19990908 or gad<19990908)) and microsoft 919 (709/\$.ccls. and (@pd<19990908 or gad<19990908)) and microsoft and word and US-PGPUB
- 527 (709/\$.ccls. and (@pd<19990908 or @ad<19990908)) and (pars\$3 or extract\$3 or find\$3) and word and text and hyper\$4 - 27 (709/\$.ccls. and (@pd<19990908 or @ad<19990908)) and (pars\$3 or extract\$3 or find\$3) and word and text and hyper\$4 and delimiters - 3548 (709/\$.ccls. and (@pd<19990908 or @ad<19990908)) and microsoft - 919 (709/\$.ccls. and (@pd<19990908 or @ad<19990908)) and microsoft and word and US-PGPUB
find\$3) and word and text and hyper\$4 (709/\$.ccls. and (@pd<19990908 or
- 27 (709/\$.ccls. and (@pd<19990908 or
@ad<19990908)) and (pars\$3 or extract\$3 or find\$3) and word and text and hyper\$4 and delimiters - 3548 (709/\$.ccls. and (@pd<19990908 or USPAT; 2003/10/01 15: @ad<19990908)) and microsoft US-PGPUB - 919 (709/\$.ccls. and (@pd<19990908 or USPAT; 2003/10/01 15: @ad<19990908)) and microsoft and word and US-PGPUB
find\$3) and word and text and hyper\$4 and delimiters - 3548 (709/\$.ccls. and (@pd<19990908 or USPAT; 2003/10/01 15: @ad<19990908)) and microsoft US-PGPUB (709/\$.ccls. and (@pd<19990908 or USPAT; 2003/10/01 15: @ad<19990908)) and microsoft and word and US-PGPUB
delimiters (709/\$.ccls. and (@pd<19990908 or USPAT; 2003/10/01 15: @ad<19990908)) and microsoft USPAT; US-PGPUB (709/\$.ccls. and (@pd<19990908 or USPAT; 2003/10/01 15: @ad<19990908)) and microsoft and word and US-PGPUB
@ad<19990908)) and microsoft US-PGPUB (709/\$.ccls. and (@pd<19990908 or USPAT; 2003/10/01 15: @ad<19990908)) and microsoft and word and US-PGPUB
- 919 (709/\$.ccls. and (@pd<19990908 or USPAT; 2003/10/01 15: @ad<19990908)) and microsoft and word and US-PGPUB
@ad<19990908)) and microsoft and word and US-PGPUB
processor
- 98 (709/\$.ccls. and (@pd<19990908 or USPAT; 2003/10/01 15:
@ad<19990908)) and microsoft and word and US-PGPUB
processor and hyperlink
@ad<19990908)) and microsoft and word and US-PGPUB
processor and hyperlink and pars\$3
- 6 709/\$.ccls. and (@pd<19990908 or USPAT; 2003/10/02 09:
@ad<19990908) and (pars\$3 adj word) and text US-PGPUB
- 1 709/\$.ccls. and (@pd<19990908 or USPAT; 2003/10/02 09: @ad<19990908) and (pars\$3 adj word) and text US-PGPUB
not mail
- 265 709/\$.ccls. and (@pd<19990908 or USPAT; 2003/10/02 09:
@ad<19990908) and text not mail and (pars\$3 US-PGPUB
adj hyperlink) or (pars\$3 adj URL) or
(pars\$3 adj address) or (pars\$3 adj domain) - 418 709/\$.ccls. and (@pd<19990908 or USPAT; 2003/10/02 09:
@ad<19990908) and text not mail and (pars\$3 US-PGPUB
adj hyperlink) or (pars\$3 adj URL) or
(pars\$3 adj address) or (pars\$3 adj domain)
or (pars\$3 adj word)
- 244 709/\$.ccls. and (@pd<19990908 or USPAT; 2003/10/02 09: @ad<19990908) and text not mail and (pars\$3 US-PGPUB
adj hyperlink) or (pars\$3 adj URL) or
(pars\$3 adj address) or (pars\$3 adj domain)
and (pars\$3 adj word)

	32	709/\$.ccls. and (@pd<19990908 or	USPAT;	2003/10/02 09:53
_	32	' ' ·	US-PGPUB	2003/10/02 09:53
	0	@ad<19990908) and (pars\$3 adj document)		2003/10/07 13:39
-	U	(cpa : 1 : 1 : 1 : 1 : 1 : 1 : 1 : 1 : 1 :	USPAT;	2003/10/07 13:39
		adj hyperlink)	US-PGPUB	2002/10/05 12 10
-	30	(@pd<19990908 or @rlad<19990908) and (pars\$3	USPAT;	2003/10/07 13:40
		adj (url or hyperlink or hypertext))	US-PGPUB	0000/10/00 10 00
-	1964	nielsen.in.	USPAT;	2003/10/09 11:00
			US-PGPUB	/ /
-	9659	nielsen.in. snf parse	USPAT;	2003/10/09 11:00
			US-PGPUB	
-	6	nielsen.in. and parse	USPAT;	2003/10/09 11:02
			US-PGPUB	
-	29	nielsen.in. and pars\$3	USPAT;	2003/10/09 12:56
			US-PGPUB	
-	150879	[(====================================	USPAT;	2003/10/09 13:00
		extract\$3) near5 (period or dot or quote or	US-PGPUB	
		(quotation near1 mark) or space or mark or		
		delimiter)		
-	53	Transfer of Post of the Contract of the Contra	USPAT;	2003/10/09 12:58
		extract\$3) near5 (period or dot or quote or	US-PGPUB	
		(quotation near1 mark) or space or mark or		
		delimiter)) with html		
-	724	(detect\$3 or pars\$3 or determin\$3 or	USPAT;	2003/10/09 13:00
		extract\$3) near5 (delimiter)	US-PGPUB	
-	70	(detect\$3 or pars\$3 or determin\$3 or	USPAT;	2003/10/09 13:03
		extract\$3) near5 (delimiter) and quot\$5	US-PGPUB	
-	55	(detect\$3 or pars\$3 or determin\$3 or	USPAT;	2003/10/09 13:03
		extract\$3) near5 (delimiter) and quot\$5 and	US-PGPUB	
		(@pd<19990908 or @ad<19990908)		
-	1	5907680.pn. and hyper\$	USPAT;	2003/10/09 15:46
		,	US-PGPUB	